

NRL Memorandum Report 5614

Electron Momentum Transfer Collision Frequency in N_2 , O_2 and Air

S. SLINKER AND A. W. ALI

Plasma Physics Division

July 26, 1985


This report was supported by the Defense Advanced Research Projects Agency (DoD), ARPA Order No. 4395, Amendment 54, monitored by the Naval Surface Weapons Center under Contract No. N60921-85-WR-W0131.

THE FILE COPY

AD-A157



NAVAL RESEARCH LABORATORY Washington, D.C.



Approved for public release; distribution unlimited.

SECURITY CLASSIFICATION OF THIS PAGE

AD A 157 030


REPORT DOCUMENTATION PAGE					
10 REPORT SECURITY CLASSIFICATION UNCLASSIFIED		th restrictive markings			
23 SECURIFY CLASSIFICATION AUTHORITY		3 DISTRIBUTION	AVAILABILITY OF	REPORT	
2b DECEASSIFICATION / DOWNGRADING SCHEDU	LE	Approved fo	r public release	; distribution	unlimited.
4 PERFORMING ORGANIZATION REPORT NUMBER	A(S)	5. MONITORING	ORGANIZATION RE	PORT NUMBER(5)
NRL Mêmorandum Report 5614		;			
6a. NAME OF PERFORMING ORGANIZATION	65 OFFICE SYMBOL (If applicable)	7a. NAME OF MO	INITORING ORGAN	IIZATION	· · · · · · · · · · · · · · · · · · ·
Naval Research Laboratory	Code 4700.1	Naval Surfac	e Weapons Cen	iter	
6c ADDRESS (City, State, and ZIP Code)		76. ADDRESS (Cit	y, State, and ZIP C	ode)	
Washington, DC 20375-5000		White Oak, S	Silvēr Spring, M	D 20910	
9a. NAME OF FUNDING, SPONSORING ORGANIZATION DARPA	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT	INSTRUMENT IDE	NTIFICATION NU	MBER
3c. ADDRESS (City, State, and ZIP Code)	1	IN SOURCE OF E	UNDING NUMBERS	-	
Arlington, VA 22209		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT
Annigton, VA 22209		62707E	NO.	NO.	DN680-415
11: TiTLE (include Security Classification) Electron Momentum Transfer Collisio	n Frequency in N ₂ ,	O ₂ and Air			
12 PERSONAL AUTHOR(S) Slinker, S. and Ali, A.W.					
13a, TYPE OF REPORT 13b, TIME C Interim FROM 15	OVERED 184 TO <u>1985</u>	14. DATE OF REPO 1985 July 2	RT (Year, Month, D 6	15. PAGE 31	COUNT
ARPA Order No. 4395, Amendment 5	was supported by to 4, monitored by NS	he Defense Ad SWC under Cor	vanced Research stract No. N60	h Projects Ag 921-85-WR-W	gency (DoD), /0131.
17. COSATI CODESFIELD GROUP SUB-GROUP	18 SUBJECT TERMS (C) Momentum tran Collision freque	isfer, Air ;	03 0x44		k number)
Collision frequency, Ng N +, acc.					
19 ABSTRACT (Continue on reverse if necessary and identify by block number) The electron momentum transfer collision frequencies in N2, O2 and air are calculated for a Maxwellian electron velocity distribution using several definitions of (vm. 1627 and 465)					
in a (the men time transfer ed soon froquery)					
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT SAME AS	RPT DTIC USERS	21 ABSTRACT SE UNCLASS	CURITY CLASSIFICA	ATION	
223 MAME OF RESPONSIBLE INDIVIDUAL A. W. Ali		226 TELEPHONE ((202) 767	Include Area Code) -3762	22c. OFFICE SY Code 47	

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted All other editions are obsolete.

CONTENTS

1.	INTRODUCTION	1
2.	THE ELECTRON MOMENTUM TRANSFER COLLISION FREQUENCY	1
3.	THE ELECTRON MOMENTUM TRANSFER COLLISION FREQUENCY IN N $_2\ldots$	3
4.	THE ELECTRON MOMENTUM TRANSFER CROSS SECTION IN O ₂	3
5.	THE ELECTRON MOMENTUM TRANSFER COLLISION FREQUENCY IN AIR	4
	REFERENCES	20



ELECTRON MOMENTUM TRANSFER COLLISION FREQUENCY IN N₂, O₂ AND AIR

1. INTRODUCTION

The electron momentum transfer collision frequency plays a significant role in the determination of the conductivity in weakly ionized gases. It can be determined if the momentum transfer cross sections and the electron velocity distributions are known. However, there appears to be several ways of obtaining the electron momentum transfer collision frequency depending on the appropriate applications.

In this report we calculate the electron momentum transfer collision frequency ν_m assuming a Maxwellian electron velocity distribution, using the most current cross sections. We compare these results with each other as well as with other calculations.

2. THE ELECTRON MOMENTUM TRANSFER COLLISION FREQUENCY

The concept of the momentum transfer is most useful in ionized gases under the influence of the electric field, where the velocity distribution is distorted by the action of the field. Under these conditions ν_m is obtained from the following equation where the electron velocity distribution is assumed to be Maxwellian

$$\langle \frac{1}{v_m} \rangle = \frac{8}{3\sqrt{\pi}} \frac{8}{N_0} \left(\frac{m}{2kT} \right)^{5/2} \int_{0}^{\infty} \frac{v^3}{\sigma(v)} \exp \left(-\frac{mv^2}{2kT} \right) dv$$
 (1)

Here, $N_{\rm o}$ indicates the density of the atoms or the molecules, $\sigma({\bf v})$ the momentum transfer cross section and the rest of the symbols have their usual

Manuscript approved May 1, 1985.

meaning. The definition given by (1) becomes obvious when one is interested in the electron mobility μ where

$$\mu = \frac{e}{m} \frac{1}{v_m} \tag{2}$$

In Eq. (2) one requires the averaging of $v_{\rm m}$ to be made where the cross section is in the denominator. Expression (1) is obtained from the general moment equation for any velocity distribution, f(v), where $\frac{2}{v}$

$$\langle \frac{1}{v_{\rm m}} \rangle = A \int \frac{4\pi v^3}{3\sigma(v)} \frac{\partial f}{\partial v} dv$$
 (3)

Here A is the normalization constant i.e., Jf(v)dv=1. On the other hand, one can also define the momentum transfer collision frequency as

$$\langle v_{\text{eff}} \rangle = \frac{8}{3\sqrt{\pi}} N_o \left(\frac{m}{2kT}\right)^{5/2} \int_0^{\infty} v^5 \sigma(v) \exp \left(-\frac{mv^2}{2kT}\right) dv$$
 (4)

where the velocity distribution is Maxwellian. Obviously the same definition of distorted velocity distribution (see Eq. (3)) is utilized in Eq. (4). It is therefore, of interest to compare the momentum transfer collision frequency calculated using both definitions of Eq. (3) and (4). In addition, one can also define $\nu_{\rm m}$ in the usual manner for a given velocity distribution with no external force imposed on the plasma electrons, that is;

$$v_a = B \int 4\pi v \sigma(v) f(v) dv$$
 (5)

where B is the normalization constant.

3. THE ELECTRON MOMENTUM TRANSFER COLLISION FREQUENCY IN N2

We utilize the electron $-N_2$ momentum transfer cross section given in Ref. (3) to calculate the appropriate collision frequencies, v_m , v_{eff} and v_a as defined by Eq. (3), (4) and (5), respectively. The results are given in Table 1 for an electron energy range of 0.1 to 50 eV.

The momentum transfer cross sections N_2 for electron energies higher than 20 eV show an apparent disagreement (see Ref. 3 for details), where several appropriate curves can be drawn beyond 20 eV. The results of Table 1, which are shown in Figs. 1a and 1b are based on the calculations of Shyn, et al. However, this cross section is slightly lower than the most recent measurements of Shyn and Carignan. However, this does not affect the results presented here.

In Fig. 2 we compare our results for v_m , v_{eff} and v_a with the calculations of Itikawa for v_m and v_{eff} for a Maxwellian electron velocity distribution. The agreement is excellent. We further compare our results with the Swarm data obtained by Englehardt, et al. The disagreement between the Swarm result and the calculations could be as high as 100% in some regions. This discrepancy is clearly due to the fact that the electron distribution in a Swarm experiment is not Maxwellian. On the other hand the calculated results of v_{eff} and v_a seem to get closer to the Swarm data for $T_e \le 1.0$ eV where electron molecule collisions are dominated by elastic collisions rendering the distribution Maxwellian.

4. THE ELECTRON MOMENTUM TRANSFER CROSS SECTION IN 02

The momentum transfer cross section for 0_2 is in a better shape, at high energies, compared to that for N_2 (see Ref. 3). The data by Shyn and Sharp⁸ are in reasonable agreement with the data obtained by Ali³ from the total

elastic cross section of Wedde and Strand $^9.$ Using these data we calculate $\nu_m,\,\nu_{eff}$ and ν_a and the results are given in Table 2.

5. THE ELECTRON MOMENTUM TRANSFER COLLISION FREQUENCY IN AIR

To obtain the collision frequency in air we emphasize the calculation of ν_m (see Eq. 3) where in the averaging process the cross section is the denominator. Table 3 shows the results for ν_m with $\sigma_{air}=0.8~\sigma_{N_2}+0.2~\sigma_{0_2}$. Furthermore, we use the results of Table 1 for ν_m in N_2 and 0_2 and combine them as $0.8~\nu_m(N_2)+0.2~\nu_m(0_2)$. These results are also shown in Table 3. An interesting result, at least in this case where the distribution is Maxwellian, is that the results, obtained both ways, are in excellent agreement.

Table 1 — $\nu_{\rm m}/{\rm N},\,\nu_{\rm eff}/{\rm N}$ and $\nu_{\rm a}/{\rm N}$ for ${\rm N}_2$

Т _е	v _m /N ₂	v _{eff} /N ₂	v _a /N ₂
0.1	1.61E-08	2.33E-08	1.51E-08
0.2	2.82E-08	3.72E-08	2.53E-08
0.3	3.79E-08	5.24E-08	3.41E-08
0.4	4.71E-08	7.22E-08	4.40E-08
0.5	5.66E-08	9.32E-08	5.50E-08
ე•6	6.61E-08	1.12E-07	6.64E-08
0.7	7.54E-08	1.27E-07	7.74E-08
0.8	8.44E-08	1.38E-07	8.75E-08
0.9	9.26E~08	1.47E-07	9.65Ê-08
1.0	1.00E-07	1.53É-07	1.04E-07
1.1	1.07E-07	1.57E-07	1.11E-07
1.2	1.13E-07	1.60E-07	1.17E-07
1.3	1.18E-07	1.62E-07	1.22E-07
1.4	1.22E-07	1.64E-07	1.26E-07
1.5	1.26E-07	1.65E-07	1.30E-07
1.6	1.30E-07	1.65E-07	1.33E-07
1.7	1.33E-07	1.66E-07	1.36E-07
1.8	1.36E-07	1.66E-07	1.38E-07
1.9	1.38E-07	1.66E-07	1.41E-07
2.0	1.40E-07	1.67E-07	1.42E-07
2.1	1.42E-07	1.67E=07	1.44E-07
2.2	1.44E-07	1.67E-07	1.46E-07
2.3	1.46E-07	1.67E-07	1.47E-07
2.4	1.47E-07	1.67E-07	1.48E-07
2.5	1.49E-07	1.67E-07	1.49E-07

Table 1 (Cont'd) = $v_{\rm m}/{\rm N}$, $v_{\rm eff}/{\rm N}$ and $v_{\rm a}/{\rm N}$ for ${\rm N}_2$

T _e	v _m /N ₂	veff ^{/N} 2	v _a /N ₂
2.6	1.50E-07	1.68E-07	1.50E-07
2.7	1.51E-07	1.68E-07	1.51E-07
2.8	1.52E-07	1.68E-07	1.52E-07
2.9	1.53E-07	1.68E-07	1.53E-07
3.0	1.54E-07	1.68E-07	1.54E-07
3.1	1.55E-97	1.68E-07	1.54E-07
3.?	1.56E-07	1.69E-07	1.55E-07
3.7	1.57E-67	1.69E-07	1.56E-07
3,:	1.57E-07	1.69E-07	1.56E-07
3.5	1.58É-07	1.69E-07	1.57E-07
3.6	1.59É-07	1.70E-07	1.57É-07
3.7	1.60E-07	1.70E-07	1.58E-07
3.8	1.60E-07	1.70E-07	1.58E-07
3.9	1.61E-07	1.70E-07	1.59E-87
4.0	1.61E-07	1.70E-07	1.59E-07
4.1	1.62E-07	1.70E-07	1.60E-07
4.2	1.62E-07	1.71E-07	1.60E-07
4.3	1.62E-07	1.71E-07	1.60E-07
4.4	1.63E-07	1.71E-07	1.61E-07
4.5	1.63E-07	1.71E-07	1.61E-07
4.6	1.64E-07	1.71E-07	1.61E-07
4.7	1.64E-07	1.71E-07	1.61E-07
4.8	1.64E-07	1.71E-07	1.62E-07
4.9	1.64E-07	1.71E-07	1.62E-07
5.N	1.64E-07	1.71E-07	1.62E-07

Table 1 (Cont'd) $-\nu_{\rm m}/{\rm N}, \, \nu_{\rm eff}/{\rm N}$ and $\nu_{\rm a}/{\rm N}$ for ${\rm N}_2$

T _e	v _m /N ₂	v _{éff} /N ₂	v _a /N ₂
6.0	1.65E-07	1.71E-07	1.64E-07
7.0	1.63E-07	1.69E-07	1.65E-07
8.0	1.61E-07	1.66E-07	1.66E-07
9.0	1.58E-07	1.63E-07	1.66Ê-07
10.0	1.55E-07	1.60E-07	1.65E-07
11.0	1.51E-07	1.57E-07	1.64Ē-07
12.0	1.48Ē-07	1.54Ē-07	1.63E-07
13.0	1.44E-07	1.51E-07	1.62E-07
14.0	1.41E=07	1.48E-07	1.60E-07
15.0	1.38E-07	1.45E-07	1.59E-07
16.0	1.35E-07	1.43E-07	1.58E-07
17.0	1.32E-07	. 1.4ÔE-07	1.56E-07
18.0	1.30É÷Õ7	1.37E-07	1.55E-07
19.0	1.27E-07	1.35E-07	1.53E-07
20.0	1.25E-07	1.33E-07	1.52E-07
21.0	1.22E-07	1.31E-07	1.50E-07
22.0	1.20E-07	1.29E-07	1.49E-07
23.0	1.18É-07	1.27E-07	1.48E-07
24.0	1.16E-07	1.25E-07	1.46E-07
25.0	1.14E-07	1.23E-07	1.45E-07
26.0	1.12E-07	1.21E-07	1.44E-07
27.0	1.10E-07	1.19E-07	1.42E-07
28.0	1.08E-07	1.13E-07	1.41E-07
29.0	1.06E-07	1.16E-07	1.40E-07
30.0	1.04E-07	1.14E-07	1.39E-07

Table 1 (Cont'd) — $\nu_{\rm m}/{\rm N}, \, \nu_{\rm eff}/{\rm N}$ and $\nu_{\rm a}/{\rm N}$ for ${\rm N}_2$

Ť _e	v _m /N _Ž	veff ^{/N} 2	ν _a /N ₂
31.0	1.03Ê-07	1.13E-07	1.37É-07
32.0	1.01Ē-07	1.11E-07	1.36E-07
33.0	9.98E-08	1.10E-07	1.35E-07
34.0	9.84Ē-08	1.11E-07	1.34E-07
35.0	9.69E-08	1.07E-07	1.33E-07
36.0	9.56É-08	1.06E-07	1.32E-07
37.0	9.43E-08	1.05E-07	1.29E-07
38 . 0	9.32E-08	1.03E=07	1.30E-07
39.0	9 . 19É-08	1.02E-07	1.29E-07
40.0	9.08E-07	1-01E-07	1.28E-07
41.0	8.95Ē-08	9.99E-07	1.26E-07
42.0	8.86Ê-08	9.88E.08	1.26E-07
43.0	8.75É-08	9.77E.08	1.25E-07
44.0	8.65E÷08	9 •67E-08	1.24E-87
45.0	8.51Ē-08	9.57E-08	1.23E-07
46.0	8.45E-08	9 - 47E-08	1.22E-07
47.0	8.35Ē-08	9.38E-08	1.21E-87
48.0	8.28E-08	9.32E-08	1.20E-07
49.0	8.18E-08	9.20Ê-08	1.19É-07
50.0	8.10E-08	9.11E-08	1.18E-07

Table 2 – $\nu_{\rm m}/{\rm O}_2$, $\nu_{\rm eff}/{\rm O}_2$ and $\nu_{\rm a}/{\rm O}_2$ for ${\rm O}_2$

^t e	ν _m /Ôź	ν _{eff} /0 ₂	ν _ã /0 ₂
0.1	5.93E-09	1.10Ê-08	6.84E-09
0.2	1.26E-08	2.10E-08	1.30E-08
0.3	1.89E-08	2.88Ë-08	1.86E-08
0.4	2.45E-08	3.53E-08	2.33E-08
0.5	2.96E-08	4.10Ē-08	2.76E-08
Õ•Ġ	3.42E-08	4.89E-08	3.14E-08
0.7	3.86E-08	5.16E-08	3.51E-08
0.8	4.27E-08	5.66E-08	3.85E-08
0.9	4.66È-08	6.14Ë-08	4.18E-08
1.0	5.04E-08	6.59E-08	4.50É-08
1.1	5.40É-08	7.02Ê-08	4.81E-08
1.2	5.75E-08	7.44 <u>E</u> -08	5.10E-08
1.3	6.08E-08	7.83E-08	5.39E-08
1.4	6.14E-08	8.20È-08	5.66E-08
1.5	6.73E-08	8.56E-08	5.93E-08
1.6	7.03E-08	8.90E-08	6-19E-08
1.7	7.33E-08	9.23E-08	6.44E-08
1.8	7.61E-08	9.55E-08	6.68E-08
1.9	7.89E-08	9.85Ē-08	7.03E-08
2.0	8,17E-08	1.01E-07	7.14E-08
2.1	8.43E-08	1.04E-07	7.36E-08
2.2	8.68E-08	1.07E-07	7.58E-08
2.3	8.93E-08	1.09E-07	7.78E-08
2.4	9.17E-08	1.12E-07	7.98E-08
2.5	9.40E-08	1.14E-07	8.18E-08

Table 2 (Cont'd) = $\nu_{\rm m}$ /O₂, $\nu_{\rm eff}$ /O₂ and $\nu_{\rm a}$ /O₂ for O₂

T _e	ν _m /0 ₂	v _{eff} /0 ₂	ν _a /0 ₂
2.6	9.63E-08	1.16E-07	8.37E-08
2.7	9.84E-ŐŜ	1.18E-07	8.55E-08
2.8	1.01E-07	1.20E-07	8.73E-08
2.9	1.03E-07	1.22E-07	8.90E-08
3.0	1.04E-07	1.24E-07	9.07E-08
3.1	1.06E-07	1.26E-07	9.23E-08
3.2	1.08E-07	1.27E-07	9.39E-08
3.3	1.10E-07	1.29E-07	9.54E-08
3.4	1.12Ē-Ô7	1.30E-07	9.69E-08
3.5	1.13E-07	1.32E-07	9.84E-08
3.6	1.15Ë-07	1.33É-07	9.98E-08
3.7	1-17E-07	1.34E-07	1.01E-07
3,8	1.18E-07	1.35E-07	1.02E-07
3.9	1.19E-07	1.36E-07	1.04E-07
4.0	1.21E-07	1.37E-07	1.05E-07
4.1	1.22E-07	1.38E-07	1.06E-07
4.2	1.23E-07	1.39E-07	1.07E-07
4.3	1.25E-07	1.40E-07	1.08E-07
4.4	1.26E-07	1.41E-07	1.10E-07
4.5	1.27E-07	1.42E-07	1.11E-07
4.6	1.28E-07	1.43E-07	1.12E-07
4.7	1.29E-07	1.44E-07	1.13E-07
4.8	1.30E-07	1.44E-07	1.14E-07
4.9	1.31E-07	1.45E-07	1.15E-07
5.0	1.32E-07	1.46E-07	1.16E-07

Table 2 (Cont'd) — $\nu_{\rm m}$ /O $_2$, $\nu_{\rm eff}$ /O $_2$ and $\nu_{\rm a}$ /O $_2$ for O $_2$

T _e	ν _m /0 ₂	veff ^{/0} 2	ν _a /0 ₂
6.0	1.40E-07	1.51E-07	1.23E-07
7.0	1.45E-07	1.54E-07	1.29E-07
8.0	1.48E-07	1.55E-07	1.34E-07
9.0	1.50E-07	1.56E-07	1.37E-07
10.0	1.50E-07	1.56E-07	1.40E-07
11.0	1.50E-07	1.56E-07	1.42E-07
12.0	1.49E-07	1.55E-07	1.44E-07
13.0	1.47É-07	1.53E-07	1.45E-07
14.0	1.45E-07	1.52E-07	1.46E-07
15.0	1.42E-07	1.50E-07	1.46E-07
16.0	1.39E-07	1.48Ē-Ó7	1.46E-07
17.0	1.36E-07	1.46E-07	1.46E-07
18.0	1.33E-07	1.44E-07	1.46E-07
19.0	1.29E-07	1.42E-07	1.46E-07
20.0	1.26E-07	1.40E-07	1.46E-07
21.0	1.22E-07	1.37E-07	1.45E-07
22.0	1.19E-07	1.35E-07	1.45E-07
23.0	1.16E-07	1.33E-07	1.44E-07
24.0	1.12E-07	1.31E-07	1.43E-07
25.0	1.09E-07	1.29E-07	1.42E-07
26.0	1.06E-07	1.27E-07	1.41E-07
27.0	1.03E-07	1.24E-07	1.41E-07
28.0	1.01E-07	1.22E-07	1.40E-07
29.0	9.81E-08	1.20E-07	1.39E-07
30.0	9.57E-08	1.18E-07	1.38E-07

Table 2 (Cont'd) — $\nu_{\rm m}$ /O₂, $\nu_{\rm eff}$ /O₂ and $\nu_{\rm a}$ /O₂ for O₂

Τ _e	$v_{m}/0_{2}$	ν _{eff} /02	ν _a /0 ₂
31.0	9.35E-08	1.16E-07	1.37E-07
32.0	9.13E-08	1.15E-07	1.36E-07
33.0	8.93E-08	1.13E-07	1.35E-07
34.0	8.71E-08	1.11E-07	1.34E-07
35.0	8.57E-08	1.10E-07	1.33E-07
36.0	8.38E-08	1.08E-07	1.32E-07
37.0	8.24E-08	1.06E-07	1.31E-07
38.0	8.08E-08	1.05E-07	1.30E-07
39.0	7.94E-08	1.03E-07	1.29E-07
40.0	7.81E-08	1.02E-07	1.28E-07
41.0	7.67E-08	1.00E-07	1.27E-07
42.0	7.56E-08	9.90E-07	1.26E-07
43.0	7.40E-08	9.74E-08	1.25E-07
44.0	7.33E-08	9.64E-08	1.24E-07
45.0	7.23E-08	9.49E-08	1.23E-07
46.0	7.13E-08	9.55E-08	1.22E-07
47.0	7.04E-08	9.25E-08	1.21E-07
48.0	6.95E-08	9.18E-08	1.20E-07
49.0	6.84E-08	9.06E-08	1.19E-07
50.0	6.78E-08	8.95E-08	1.18E-07

Table 3 — $\nu_{\rm m}/{\rm N_o}$ in air

T _e	ν _m /N _o	$0.8 v_{\rm m}/N_2 + 0.2 v_{\rm m}/0_2$
0.1	1.43E-08	1.41E-08
0.2	2.53E-08	2.51E-08
0.3	3.44E-08	3.41E-08
0.4	4.30E-08	4.26E-08
0.5	5.16E-08	5.12E-08
0.6	6.03E-08	5.97E-08
0.7	6.88E-08	6.81E-08
6. 0	7.69E-08	7.60E-08
0.9	8.44E-08	8.34E-08
1.0	9.14E-08	9.02E-08
1.1	9.76E-08	9.63E-08
1.2	1.035-07	1.02E-07
1.3	1.08E-07	1.06E-07
1.4	1.12E-07	1.11E-07
1.5	1.16E-07	1.15E-07
1.6	1.20E-07	1.18E-07
1.7	1.23E-07	1.21E-07
1.8	1.26E-07	1.24E-07
1.9	1.28E-07	1.26E-07
2.0	1.31E-07	1.28E-07
2.1	1.33E-07	1.31E-07
2.2	1.35E-07	1.33E-07
2.3	1.37E-07	1.34E-07
2.4	1.385-07	1.36E-07
2.5	1.40E-07	1.38E-07

Table 3 (Cont'd) — $v_{\rm m}/{\rm N_o}$ in air

Т _е	v _m /N _o	$0.8 v_{\rm m}/N_2 + 0.2 v_{\rm m}/0_2$
2.6	1.41E-07	1.39E-07
2.7	1.43E-07	1.40E-07
2.8	1.44E-07	1.42E-07
2.9	1.45E-07	1.43E-07
3.0	1.47E-07	1.44E-07
3.1	1.48E-07	1.45E-07
3.2	1.49E07	1.46E-07
3.3	1.50E-07	1.47E-07
3.4	1.51E-07	1.48E-07
3.5	1.52E-07	1.49E-07
3.6	1.52E-07	1.50E-07
3.7	1.53E-07	1.51E-07
3.8	1.54E-07	1.52É-07
3.9	1.54E-07	1.52E-07
4.0	1.55E-07	1.53E-07
4.1	1.56E-07	1.54E-07
4.2	1.56E-07	1.54E-07
4.3	1.57E-07	1.55E-07
4.4	1.57E-07	1.55E-07
4.5	1.58E-07	1.56E-07
4.6	1.58E-07	1.56E-07
4.7	1.59E-07	1.57E-07
4.8	1.59E-07	1.57E-07
4.9	1.59E-07	1.58E-07
5.0	1.60E-07	1.58E-07

Table 3 (Cont'd) $-\nu_{\rm m}/{\rm N_o}$ in air

T _e	v _m /N _o	$0.8 v_{\rm m}/N_2 + 0.2 v_{\rm m}/0_2$
6.0	1.615-07	1.60E-07
7.0	1.61E-07	1.59E-07
8.0	1.60E-07	1.58E-07
9.0	1.58E-07	1.56E-07
10.0	1.55E-07	1.54E-07
11.0	1.52E-07	1.51E-07
12.0	1.49E-07	1.48E-07
13.0	1.46E-07	1.45E-07
14.0	1.43E-07	1.42E-07
15.0	1.40E-07	1.39E-07
16.0	1.37E-07	1.36E-07
17.0	1.34E-07	1.33E-07
18.0	1.31E-07	1.30E-07
19.0	1.29E-07	1.28E-07
20.0	1.26E-07	1.25E-07
2:.0	1.23E-07	1.22E-07
22.0	1.21E-07	1.20E-07
23.0	1.19E-07	1.17E-07
24.0	1.16E-07	1.15E-07
25.0	1.14E-07	1.13E-07
26.0	1.12E-07	1.10E-07
27.0	1.10E-07	1.08E-07
28.0	1.07E-07	1.06E-07
29.0	1.06E-07	1.04E-07
30.0	1.04E-07	1.03E-07

Table 3 (Cont'd) $-\nu_{\rm m}/{\rm N_o}$ in air

T _e	v _m /N _O	$0.8 v_{\rm m}/N_2 + 0.2 v_{\rm m}/0_2$
31.0	1.03E-07	1.01E-07
32.0	1.01E-07	9.94E-08
33.0	9.92E-08	9.77E-08
34.0	9.77E-08	9.61E-08
35.0	9.62E-08	9.47E-08
36.0	9.48E-08	9.33E-08
37.0	9.34E-08	9.19E-08
38.0	9.21E-08	9.07E-08
39.0	9.08E-08	8.94E-08
40.0	8.96E-08	8.82E-08
41.0	8.85E-08	8.70E-08
42.0	8.69E-08	8.60E-08
43.0	8.57E-08	8.48E-08
44.0	8.52E-08	8.38E-08
45.0	8.42E-08	8.25E-08
46.0	8.32E-08	8.19E-08
47.0	8.23E-08	8.09E-08
48.0	8.14E-08	8.01E-08
49.0	7.79E-08	7.91E-08
50.0	7.83E-07	7.83E-08




Figure 1a Collision frequency coefficients for momentum transfer in N_2 .




Figure 1b Collision frequency coefficients for momentum transfer in N_2 .




Figure 2 Collision frequency coefficients for momentum transfer in N_2 .

REFERÊNCES

- I. P. Shkarofsky, Can. J. Phys. 39, 1619 (1961).
- 2. D. J. Rose and M. Clark, Jr.," Plasmas and Controlled Fusion", MIT Press, Cambridge, Mass 1961.
- 3. A. W. Alı, "The Electron Momentum Transfer Cross Sections in N_2 , O_2 ", NRL Memo Report 5421 (1984). ADA146 097
- 4. T. W. Shyn, R. S. Stolarski and G. R. Carignan, Phys Rev. <u>A6</u>, 1002, (1972).
- 5. A. W. Ali (in preparation).
- 6. Y. Itikawa, Phys. of Fluid, 16, 831 (1973).
- 7. A. G. Engelhardt, A. V. Phélps and C. G. Risk, Phys. Rév. <u>135</u>, A1566 (1964).
- 8. T. W. Shyn and W. E. Sharp, Phys. Rev. A26, 1369 (1982).
- 9. T. Wedde and T. G. Strand, J. Phys <u>B7</u>, 1091 (1974).

DISTRIBUTION LIST

Chief of Naval Operations Washington, DC 20350 ATTN: Dr. C. F. Sharn (0P09878)

U. S. Army Ballistics Research Laboratory Aberdeen Proving Ground, Maryland 21005 ATTN: Dr. Donald Eccleshall (DRXBR-BM) Dr. Anand Prakash

Office of Under Secretary of Defense Research and Engineering Room 3E1034 The Pentagon Washington, DC 20301 ATTN: Mr. John M. Bachkosky

Office of Naval Research 800 North Ouincy Street Arlington, VA 22217 ATTN: Dr. C. W. Roberson

Chief of Naval Material Office of Naval Technology MAT-0712, Room 503 800 North Ouincy Street Arlington, VA 22217 ATTN: Dr. Eli Zimet

Commander Naval Sea Systems Command PMS-405 Washington, DC 20362 ATTN: CAPT R. Topping CDR W. Bassett

Air Force Office of Scientific Research Physical and Geophysical Sciences Bolling Air Froce Base Washington, DC 20332 ATTN: CAPT Henry L. Pugh, Jr.

Department of Energy Washington, DC 20545

ATTN: Dr. Terry F. Godlove (ER20:GTN, High Energy and Nuclear Physics)
Dr. James E. Leiss (G-256)

Mr. Gerald J. Peters (G-256)

Joint Institute for Laboratory Astrophysics National Bureau of Standards and University of Colorado Boulder, CO 80309

ATTN: Dr. Arthur V. Phelps

Lawrence Berkeley Laboratory University of California Berkeley, CA 94720 ATTN: Dr. Edward P. Lee

Ballistic Missile Defense Advanced Technology Center P.O. Box 1500 Huntsville, AL 35807 ATTN: Dr. M. Hawie (BMDSATC-1)

Întelcom Rad Tech. P.O. Box 81087 San Diego, CA 92138 ATTN: Dr. W. Selph

Láwrencé Livermore National Laboratory University of California Livermore, CA 94550

ATTN: Dr. Richard J. Briggs Dr. Thomas Fessenden Dr. Frank Chambers

Dr. Jâmes W.-K. Mark, L-477

Dr. William Fawley
Dr. William Barletta
Dr. William Sharp
Dr. Daniel S. Prono
Dr. Jöhn K. Boyd
Dr. Kenneth W. Struve

Dr. John Clark

Dr. Géorge J. Caponaso Dr. William E. Martin Dr. Donald Prosnitz Dr. S. Yu

Mission Research Corporation 735 State Street Santa Barbara, CA 93102 ATTN: Dr. C. Longmire Dr. N. Carron

National Bureau of Standards Gaithersburg, MD 20760 ATTN: Dr. Mark Wilson

Science Applications, Inc. 1200 Prospect Street La Jolla, CA 92037 ATTN: Dr. M. P. Fricke Dr. W. A. Woolson Science Applications, Inc.
5 Palo Alto Square, Suite 200
Palo Alto, CA 94304
ATTN: Dr. R. R. Johnston
Dr. Leon Feinstein
Dr. Douglas Keeley

Science Applications, Inc. 1651 Old Meadow Road McLean, VA 22101 ATTN: Mr. W. Chadsey

Navâl Surface Weapons Center White Oak Laboratory Silver Spring, MD 20910 Mr. R. J. Biegalski ATTN: Dr. R. Cawley Dr. J. W. Forbes Dr. D. L. Love Dr. C. M. Huddleston Dr. G. E. Hudson Mr. W. M. Hinckley Mr. N. E. Scofield Dr. E. C. Whitman Dr. M. H. Châ Dr. H. S. Uhm Dr. R. Fiorito Dr. H. C. Chen

C. S. Draper Laboratories Cambridge, MA 02139 ATTN: Dr. E. 01sson Dr. L. Matson

Physical Dynamics, Inc. P.O. Box 1883 La Jolla, CA 92038 ATTN: Dr. K. Brueckner

Avco Everett Research Laboratory
2385 Revere Beach Pkwy
Everett, MA 02149
ATTN: Dr. R. Patrick
Dr. Dennis Reilly
Dr. D. H. Douglas-Hamilton

Defense Technical Information Center Cameron Station 5010 Duke Street Alexandria, VA 22314 (2 copies) Naval Research Laboratory Washington, DC 20375

ATTN: M. Lampe - Code 4792

M. Friedman - Code 4700.1

J. R. Greig - Code 4763

I. M. Vitkovitsky - Code 4701

J. B. Aviles - Code 6650

M. Haftel - Code 6651

T. Coffey - Code 1001

S. Ossakow - Code 4700 (26 copies)

P. Sprangle - Code 4790

Library - Code 2628 (20 Copies)

A. W. Ali - Code 4700.1 (30 copies)

D. Book - Code 4040

J. Boris - Code 4040

R. Hubbard - Code 4790

B: Hui - Code 4790

S_ Slinker - Code 4790

G. Joyce - Code 4790

D. Murphy - Code 4763

A: Robson - Code 4760

D. Colombant - Code 4790

M. Picone - Code 4040

M. Raleigh - Code 4763

R. Péchacek - Code 4763

G. Cooperstein - Code 4770

Y. Lau - Code 4790

R. Fernsler - Code 4790

Defense Advanced Research Projects Agency 1400 Wilson Blvd. Arlington, VA 22209 ATTN: Dr. S. Shey

Physics International, Inc. 2700 Merced Street San Leanadro, CA 94577 ATTN: Dr. E. Goldman

SDIO - DEW Office of Secretary of Defense Washington, DC 20301 ATTN: Lt. Col. R. L. Gullickson

Mission Research Corp. 1720 Randolph Road, S.E. Albuquerque, NM 87106 ATTN: Dr. Brendan Godfrey

Dr. Richard Adler
Dr. Thomas Hughes
Dr. Lawrence Wright

Princeton University
Plasma Physics Laboratory
Princeton, NJ 08540
ATTN: Dr. Francis Perkins, Jr.

McDonnell Douglas Research Laboratories
Dept. 223, Bldg. 33, Level 45
Box 516
St. Louis, MO 63166
ATTN: Or. Evan Rose
Dr. Carl Leader

Cornell University
Ithaca, NY 14853
ATTN: Prof. David Hammer

Sandia National Laboratory
Albuquerque, NM 87115
ATTN: Dr. Bruce Miller
Dr. Barbara Epstein
Dr. John Freeman
Dr. John E. Brandenburg
Dr. Gordon T. Leifeste
Dr. Carl A. Ekdahl, Jr.
Dr. Gerald N. Hays
Dr. James Chang

Dr. Michael G. Mazerakis

University of California Physics Department Irvine, CA 92664 ATTN: Dr. Gregory Benford

Air Force Weapons Laboratory
Kirtland Air Force Base
Albuquerque, NM 87117
ATTN: D. Straw (AFWL/NTYP)
C. Clark (AFWL/NTYP)
W. Baker (AFWL/NTYP)
D. Dietz (AFWL/NTYP)
Lt Co! J. Head

Pulse Sciences, Inc. 14796 Wicks Blvd. San Leandro, CA 94577 ATTN: Dr. Sidney Putnam Dr. John Bayless Los Alamos National Scientific Laboratory P.O. Box 1663 Los Alamos, NM 87545

ATTN: Dr. L. Thode

Dr. A. B. Newberger, X-3, MS-608

Dr. M. A. Mostrom, MS-608 Dr. T. P. Starke, MS-942 Dr. H. Dogliani, MS-5000

Institute for Fusion Studies
University of Texas at Austin
RLM 11.218
Austin, TX 78712
ATTN: Prof. Marshall N. Rosenbluth

University of Michigan
Dept. of Nuclear Engineering
Ann Arbor, MI 48109
ATTN: Prof. Terry Kammash
Prof. R. Gilgenbach

Directed Technologies, Inc. 226 Potomac School Road McLean, VA 22101 ATTN: Dr. Ira F. Kuhn Dr. Nancy Chesser

Titan Systems, Inc.
8950 Villa La Jolla Drive-Suite 2232
La Jolla, CA 92037
ATTN: Dr. H. L. Buchanon
Dr. R. M. Dowe

Lockheed Palo Alto Laboratory 3251 Hanover Street Bldg. 203, Dept. 52-11 Palo Alto, CA 94304 ATTN: Dr. John Siambis

University of Maryland Physics Department College Park, MD 20742 ATTn: Dr. Y. C. Lee Dr. C. Grebogi

Science Applications, Inc. 1710 Goodridge Dr. McLean, VA 22102 -ATTN: Dr. A. Drobot Dr. K. Papadopoulos Dr. John P. Jackson Kaman Sciences 1500 Garden of the Gods Road Colorado Springs, CO 80933

DASIAC - DETIR Kaman Tempo 25600 Huntington Avenue, Suite 500 Alexandria, VA 22303 ATTN: Mr. F. Wimenitz

Director of Research U.S. Naval Academy Annapolis, MD 21402 (2 copies)